New Mexico Intimate Partner Violence Death Review **Team**

Process
Evaluation
Report

2011

Prepared by: Danielle Albright, Program Manager Dr. Laura Banks, Principal Investigator January 19, 2011

New Mexico Intimate Partner Violence Death Review Team Center for Injury Prevention Research and Education Department of Emergency Medicine University of New Mexico

Contents

Introduction	3
Statutory Objectives	5
Case Review Process: Identification through Data Collection	10
Case Reporting and Team Feedback Procedures	16
Appendix 1: Intimate Partner Violence Lethality Risk Factors	18
Appendix 2: Common Abbreviations & Working Definitions	22
Appendix 3: Team Member Case Review Feedback Form	25
Appendix 4: Team Member Evaluation Comments	26

Introduction

In December 2010, the New Mexico Intimate Partner Violence Death Review Team (Team) adopted a policy to produce an annual program evaluation. The evaluation is two pronged, consisting of both an assessment of outcomes and a process evaluation. The first report was completed in January 2011. The current evaluation report provides an update to the original and extends the evaluation to additional areas of the Team's process.

Outcomes Evaluation

In an effort to assess outcomes of the Team's work, Team members, in collaboration with the coordinator, monitor activities around the State that can be identified as consistent with the Team's recommendations from prior years. Activities may include, but are not limited to, developments in legislation, policy, and agency practice. Keeping track of these activities helps the Team assess the relevance of their recommendations over time. Team members report activities related to these recommendations at meetings as they occur throughout the year. These reports are documented by the coordinator and reported in the *Recommendation Updates* section of the Annual Report.

Process Evaluation

The second component of the evaluation plan is a process evaluation. Beginning in 2011, the coordinator will provide the Team with a report that examines the review process, including the case data collection strategy, case review procedures, and adherence to the Team's statutory mandate. This report will be presented at the January meeting where the Team will discuss the findings and provide feedback on improving the review process to better serve the mission, goals, and objectives established in *NMSA 1978 §31-22-4.1*.


Overview of the Death Review Process

The Team is tasked with reviewing the facts and circumstances of domestic violence related deaths and sexual assault related deaths in New Mexico. Each identified death incident is reviewed individually. The purpose of the review is to identify the causes of the fatalities and their relationship to government and nongovernment service delivery systems.

Recommendations for system improvements are made following each case review. Review

findings and recommendations are compiled and reported in the aggregate at the end of each review year. This knowledge is produced with the goal of developing more effective methods of domestic violence prevention. Figure 1 provides a diagram of the review process.

Figure 1. Case Review Process



The present report provides an assessment of three components of the review process:

- 1. Meeting statutory directives, including: membership, meetings, and objectives,
- 2. The case review process from identification through data collection, and
- 3. The case review process from case presentation through Team member feedback.

This work is intended to serve as a discussion guide for the Team to review and make recommendations for improving the case review process.

Statutory Objectives

NMSA 1978 §31-22-4.1 defines the Team's composition and sets out specific objectives to be accomplished.

Membership

The statute identifies 11 occupational categories to be represented in the Team's appointed membership. A twelfth category consists of other appointees designated by the Crime Victim Reparations Commission. In 2011, the Team had 29 appointed members. Table 1 shows the number of appointed members by appointment category. The Team Coordinator is currently working with CVRC to fill vacancies in the District Attorney, State Agency, and Medical Categories.

Table 1. Number of 2011 Appointed Team Members by System Category

System	Number of representatives in system area*
Attorney General's Office	1
Civil Legal	2
Courts	3
Criminologist	1
District Attorney's Offices	1
Law Enforcement	2
Medical	2
Other Members	4
Public Defender	1
State Agencies	3
Tribal	3
Victim Services	6
Total Number of Members	29

^{*}One medical appointment was vacated in August of 2011, bringing the number of medical representatives to one and the total number of appointed members to 28 for the remainder of the year.

In addition to appointed members, the Team also invites additional participants from system agencies. These members represent a diverse group of local, state, tribal, and federal agencies. Table 2 shows the distribution of invited members participating in the Team's 2011 meetings by system category.

Table 2. Number of 2011 Invited Participants by System Category

System	Number of invited participants in system area
Attorney General's Office	1
Civil Legal	-
Courts	1
Criminologist	-
District Attorney's Offices	5
Law Enforcement	2
LE Victim Advocate	6
Medical	3
Other Members	-
Public Defender	1
State Agencies	5
Tribal	6
Victim Services	10
Total Number of Members	40

Meetings

In 2011, there were 12 regular Team meetings. Meetings were held on the third Thursday of the month from 10 am to 12 pm. All meetings took place at the Albuquerque Family Advocacy Center. The January meeting was dedicated to reviewing the Team's review process. Case reviews began in February and ran through the October meeting. In November, the Team reviewed aggregate findings from the case review meetings and prioritized recommendations for the annual report. In December, the Team held its annual business meeting.

The average attendance at Team meetings was 26 people total. The average number of appointed members in attendance was 18. The average number of appointment categories represented at each meeting was nine out of 12 categories. Quorum, as defined in the Team's policies and procedures, was reached in all twelve 2011 Team meetings. Table 3 documents meeting attendance by month.

Table 3. 2011 Meeting Attendance by Month

Meeting Month	Total # of people in attendance	# of appointed members in attendance (%)*	# of appointment categories represented**
		(N=29)	
January	30	17 (59)	10
February	29	18 (62)	9
March	25	18 (62)	9
April	27	19 (66)	10
May	26	19 (66)	10
June	24	17 (59)	10
July	24	17 (59)	9
		$(\mathbf{N}=28)$	
August	23	17 (61)	9
September	28	20 (71)	9
October	18	14 (50)	9
November	21	18 (64)	8
December	21	16 (57)	9

^{*}Due to a midyear vacancy, the number of appointed members changed from 29 to 28 for August through December meetings.

At case review, appointed members and invited participants provided insight into the policies and procedures of their respective agencies. Since Team goals include a holistic evaluation of system response, it was important to have all system categories present for each case review meeting. In 2011, two areas were underrepresented at Team meetings: the Administrative Office of District Attorneys and the Public Defender's Office. With the exception of the Public Defender's Office representation, most appointed member absences were offset by the participation of invited members in the same category. The Public Defender's Office has made a new appointment for the 2012 review year. Table 4 describes system representation at 2011 Team meetings.

^{**}Seven of 12 categories must be represented to establish quorum.

Table 4. System Representation at 2011 Team Meetings

	# of meetings with at least one appointed member representing system	# of meetings with at least one invited participant representing system	# of meetings with at least one person representing system area in
System	area in attendance	are in attendance	attendance
Attorney General's Office	12	2	12
Civil Legal	12	0	12
Courts	12	0	12
Criminologist	10	0	10
District Attorney	2	6	7
Law Enforcement	10	5	11
LE Victim Advocate	-	11	11
Medical	7	4	9
Other Members	12	-	12
Public Defender	-	-	-
State Agencies	12	7	12
Tribal	10	8	10
Victim Services	12	10	12

In addition to the Team meetings, the Team's Committees also met throughout the year. The Native American Committee held 5 case review meetings. Four meetings were held in Albuquerque; one took place on the Tesuque Pueblo. One Albuquerque meeting involved the review of a case in collaboration with the Teen Dating Violence Committee. The Teen Dating Violence Committee held 10 meetings for case review and completed reviews for cases occurring in 2006, 2007, and 2008. The Friends and Family Committee held one teleconference meeting to develop a friends and family interview process and members participated in a pre-test of the interview questionnaire. The Marginalized Populations Committee held one meeting to discuss elder abuse deaths.

Objectives

The Team's statute defines 5 specific objectives to guide the Team's work. Table 5 lists each objective alongside corresponding 2011 activities and 2012 goals. Goals for 2011 were documented in the Team's 2010 Process Evaluation Report.

Table 5. Statutory Objectives, Team Activities, and Future Goals Change years and edit

Statutory Objectives	2011Activities	2012 Goals
Review trends and patterns of domestic violence related homicides and sexual	Team compared patterns of risk factors and case characteristics across 2008 homicide and suicide cases.	Complete Team activity for 2009 deaths, and
assault related homicides in New Mexico	Coordinator compiled three years of data to be used to compare deaths occurring between 2006 and 2008.	Continue multi-year data entry and comparison of these characteristics (deaths occurring between 2005 and 2009)
Evaluate the responses of government and nongovernment service	Team compared system interventions preceding these deaths for both victim and offender and compared criminal	Complete Team activity for 2009 deaths, and
delivery systems and offer recommendations for improvement of the	charges and prosecution outcomes for 2008 homicides.	Provide multi-year comparison of intervention delivery as well as criminal
responses	Coordinator compiled intervention response variables for deaths occurring between 2006 and 2008.	charges and prosecution outcomes (deaths occurring between 2005 and 2008)
Identify and characterize high-risk groups for the purpose of recommending	Team identified risk factors for each 2008 reviewed death,	Complete activity for 2009 deaths, and
developments in public policy	Coordinator compiled lethality risk variables for each case reviewed involving a death occurring between 2006 and 2008. Coordinator also drafted a research reference table on lethality risk factors (See Appendix 1).	Prepare list of lethality risk factors commonly identified in Team reviews and frequency of known risk identification in reviewed deaths (2005-2008)
Collect statistical data in a consistent and uniform manner on the occurrence of	Team utilized standardized form for collecting and reporting case data for each 2008 reviewed death.	Complete activity for 2008 deaths, and
domestic violence related homicides and sexual assault related homicides	Coordinator constructed database to collect data elements, including the Team's feedback, for all cases. Data for 2006 to 2008 has been entered.	Maintain database of collected data elements (including the Team's feedback), enter case data for 2005 and 2009.
Improve collaboration between tribal, state and local agencies and organizations to develop initiatives to prevent domestic violence	Team worked toward improved collaboration through organizational representation in Team membership, by monitoring community and agency prevention and intervention activities statewide, and by providing recommendations derived from multidisciplinary case review discussion	Continue to assess ways in which organizations are working together to improve both prevention efforts and response to domestic violence

Case Review Process: Identification through Data Collection

Case Identification

The coordinator identified cases for review using several methods: researching death records at the Office of the Medical Investigator, reviewing media reports regarding domestic and sexual violence, requesting information from local domestic violence and sexual assault agencies on homicides in their communities, and receiving case suggestions from Team members or other professionals. The coordinator attempted to gather information on all domestic and sexual violence deaths that occurred in the state. However, domestic or sexual violence deaths are not always reported as such, and therefore, may be difficult to identify through public records.

In 2011, the Team refined decisional criteria for case selection. Table 6 lists the types of cases that the Team considered for review, provides a brief definition of each, and identifies the number of reviewed calendar year 2008 cases (CY2008) that fit in each category.

Table 6. Types of Intimate Partner Violence (IPV) Related Deaths Reviewed

		Number of CY2008 Cases
		Reviewed in
Type of Case	Definition	2011
Intimate	Homicide where the victim and offender are current or former	16
Partner	intimate or dating partners (homicide decedent may be the	
Homicide	victim or perpetrator of the incident of intimate partner	
	violence), includes cases of murder-suicide	
Sexual Assault	Homicide with a sexual assault component, regardless of the	0
Homicide	relationship between the victim and offender	
Bystander-	Homicide of any child, family member or other party or the	5
Involved IPV-	death of the intimate partner violence perpetrator where the	
Related	homicide is committed by someone other than his or her	
Homicide	intimate partner, when the death occurs during an incident of	
	intimate partner violence	
IPV-Related	Suicide by a victim of intimate partner violence during or	2
Victim Suicide	directly following an incident of intimate partner violence, or in	
	which the victim identifies a history of intimate partner	
	violence as the reason for the suicide (e.g. in a suicide note)	
IPV-Related	Suicide by an intimate partner violence perpetrator (even if the	11
Offender	victim survives) when the death occurs during or directly	
Suicide	following an act of intimate partner violence	

Over time, the Team has altered the decisional criteria for case selection to include additional case types that may provide insight for preventing future injury and death resulting from intimate partner violence. Table 7 documents the case years (year of homicide incident) and review years (year of Team review) for which each type of case has been reviewed.

Table 7. Case Year by Types of Cases Selected for Review

Types of Case	Case Years	Review Years
Female Intimate Partner Homicide Victims	1993 - present	1998 - present
Female Sexual Assault Homicide Victims	1997 - present	1999 – present
Male Intimate Partner Homicide Victims	1999 - present	2001 – present
IPV Bystander Homicides	2003 - present	2007 - present
IPV Victim and IPV Offender Suicide Alone	2007 - present	2009 – present

Data Collection

Once cases were identified for review, the coordinator collected information about the victim and offender and the death incident. In addition to demographic and relationship information, the coordinator also determined which agencies or systems the victim or offender had contact with prior to or following the death and contacted each of those agencies to obtain all pertinent and available reports and case information. The coordinator also researched available media reports or other relevant information sources (i.e. websites) regarding the death or prior incidents with the victim or the offender. Once compiled, this information was entered into the Team's *Confidential Case Review Form* as completely as possible. Table 8 details the types of information collected by the coordinator for use in case investigation and compilation with notes on the availability and accessibility of each type of information.

Table 8. Case Review Data Types, Sources, and Access Review and Update

Types of Information	Source(s)	Access	Comments
Law enforcement reports, including crime scene investigations and detective's investigative reports	Individual law enforcement agencies	Good	Law enforcement reports are public records available upon request. Acquiring these documents may require a fee for copying/mailing and can take from a few days to two or three weeks to obtain.
Media reports	Albuquerque Journal Subscription Archive*		Stories of intimate partner violence related deaths are collected in real time. Media coverage of homicide is consistent statewide and generally leads
	Internet Search	Good	to stories on the arrest and prosecution of the offender. Murder-suicide is generally covered but to a lesser extent that homicide and there is no coverage of suicide unless it occurs in a public manner.
Details of any prior protective orders (temporary and permanent)	Identified through state court database, Retrieved from individual courts	Good	Protection order documents are public records available upon request. Acquiring these documents may require a fee for copying/mailing and can take from a few days to two or three weeks to obtain.
Civil court data regarding divorce, termination of parental rights, child custody, or child visitation	Identified through state court database, Retrieved from individual courts	Fair	Divorce proceedings are easily identified and those without children can be ordered from individual courts although we generally do not request these documents unless they are immediate / relevant to the death review.
			We do not have access to the content of proceedings for parentage, child custody, and visitation cases. The outcomes are generally noted in the data available on the court database.

Table 8. Continued

Types of Information	Source(s)	Access	Comments
Criminal histories of the offender and the victim	Identified through state court database,		Consistent access to criminal histories within the State of NM.
	If relevant to review, reports may be requested from individual law enforcement agencies and / or courts	Fair- Good	Limited access to criminal histories for persons who are from out of state or have spent significant time outside of NM and those that live on the State's border with another state or Mexico.
CYFD protective services data (regarding alleged child abuse or neglect involving either the victim or the offender) and juvenile justice data (prior delinquency history of the offender or the victim)	Team Member Report Out	Good	No direct access to records.
Adult protective services summary data and prior abuse history	Team Member Report Out	Good	No direct access to records.
Summaries of psychological evaluations or reports appearing in public record documents, such as police files	As documented in law enforcement and / or court documents	Fair - Poor	No direct access to mental health care records. Rarely documented unless symptoms and/or treatment are reported immediately preceding the death
OMI autopsy report	OMI Database**		
	In person review of autopsy records	Good	
Workplace information (stalking/harassment, alerts among co- workers)	As documented in law enforcement and / or court documents	Poor	Rarely documented unless the workplace and/or co- workers are tied in some way to the incident (location, witnesses, construction of timeline, etc).

Table 8. Continued

Types of Information	Source(s)	Access	Comments
Medical reports and hospital emergency room information	As documented in law enforcement and / or court documents	Poor	Rarely documented unless immediately preceding the death.
Shelter or program services information from domestic violence or sexual assault advocates (if appropriate and legally permissible)	Team Member Report Out, As documented in law enforcement and / or court documents	Fair	Difficult to identify shelter use unless reported in law enforcement documentation
School reports regarding children reporting abuse in the home	As documented by school personnel, As reported in CYFD Member report out	None- Fair	Limited success in accessing education records for teen and young adult decedents only. The content of records varies by school, but may document enrollment, grades, test scores, graduation, etc Retrieved records do not typically contain information on suspected or reported abuse
Statements from neighbors, friends or witnesses (often found in police files as transcribed material or in court documents or trial transcripts)	As documented in law enforcement and / or court documents	Fair- Good	In homicide and undetermined death cases, witness reports and interviews with relevant parties are generally documented. Witness reports are less rigorously documented in cases involving suicide and murder-suicide
Pre-sentence investigation report (probation)		None	
Parole information (including victim notification)	Team Member Report Out, Court case information obtained through state court database	Fair	Electronically available court records do not contain a full report of the conditions of release, treatment orders, etc but rather document only the terms of the original sentence. Details available in the electronic court record are limited to formal violations of court mandated conditions of release, and whether or not the parolee successfully completes the terms of parole.

Table 8. Continued

Types of Information	Source(s)	Access	Comments
Information regarding weapons confiscation, purchase, and background checks	As documented in law enforcement and / or court documents	Fair- Poor	Rarely documented unless directly related to or immediately preceding the death
Drug and alcohol treatment information	As documented in incident reports and court records.	Poor	Limited to the determination of whether or not an individual has been mandated by the court to attend drug and/or alcohol treatment. No information on treatment for those with no criminal or DVOP history. At times, the facility for treatment is documented.
			Unless the individual is on probation and/or parole and violated for failure to attend or complete treatment, we do not have access to information on the outcome of treatment.

^{*}The Department of Emergency Medicine at UNM maintains a subscription to the Albuquerque Journal archives.

^{**}In accordance with agency policies, the Department of Emergency Medicine at UNM has submitted the Use of Decedent Protected Health Information form to the UNM Human Research Protections Office in order to be granted access to autopsy records from the Office of the Medical Investigator. This data source is critical to identifying cases for review.

Definitions

Throughout the case identification and data collection process, the coordinator used a number of working definitions to guide selection of appropriate cases and coding of case characteristics. Appendix 2 contains a list of working definitions used for this purpose. These definitions were based in part on existing research, but were also adapted based on the Team's experience with case review. The appendix also contains commonly used abbreviations.

Case Reporting and Team Feedback Procedures

During closed sessions of Team meetings, the coordinator distributed the *Confidential Case Review Form* and other relevant documents (i.e. news articles, court docket entries) to the Team. The form included detailed information about the victim, offender, the relationship between the parties, the death incident, system response to the death, and a narrative that included a timeline of events surrounding the death. Team members reviewed the information provided and the narrative was read aloud. Team members asked questions to clarify issues or obtain additional information about the case. When appropriate, the coordinator invited representatives from agencies or systems that had contact with the offender or victim prior to or following the death to the meetings in order to provide the Team with additional information not available in the written records.

After reading and discussing the facts of the death, Team members conducted a thorough review of the death and factors associated with the death. In particular, Team members looked for: risk factors for the victim or the offender prior to the death, system failures associated with the death, and recommendations for policy or systems improvement. At the conclusion of the meeting, all documents related to the case were collected by the coordinator and either secured for storage or destroyed.

As of the 2011 review year, all information contained in the *Confidential Case Review Form* was recorded in a database so that case similarities and differences can be identified and monitored over time. Data entry has been completed for CY 2006-2008 cases.

Feedback

Each Team member was responsible for participating in the case review discussion and for writing down findings and recommendations on the *Team Member Case Review Feedback Form* (revised form is located in Appendix 3). The Team relied on the professional expertise of each of its members and therefore, it was important for Team members to analyze each case according to their profession and contribute ideas and suggestions for inclusion in the Team's recommendations. After each review, the coordinator summarized the findings and recommendations identified in the review and maintained case statistics for aggregate reporting, such as age, race, and gender of victims and offenders and the relationship between victim and offender. Member feedback was also recorded in the case information database.

Appendix 1: Intimate Partner Violence Lethality Risk Factors

The following is a draft list of intimate partner violence lethality risk factors with citations for the publication of the source research. Risk factors are organized into types and are otherwise listed in no particular order. Most of this research is based on the homicide death of female IPV-victims killed by male IPV-perpetrators. Not all of these factors increase lethality risk in the same way, to the same extent, or in all populations. The documentation of lethality risk factors is an ongoing task and will (in the future) be updated to include more information on the circumstances under which the characteristic increases risk. In the meantime, **if you are planning to cite these works, please see source materials** for information on research design, sampling, and generalizability and to ensure that the research finding is applicable to the item you are referencing.

Lethality Risk Factor	Citation
Prior Violence Forced sex of female partner	Campbell et al. 2003a, 2003b; Campbell 1995, 1986
Attempt of suicide by offender	Websdale 1999; Hart 1988
Attempted homicide by offender	Hart 1998
Prior history of domestic violence	Campbell et al. 2003a, 2003b; Websdale 1999; Bailey et al. 1997
Serious victim injury in prior abusive incidents	Campbell 1995, 1986
Stalking of the victim	Websdale 1999
Nonfatal strangulation and/or prior choking	Glass et al. 2008; Campbell et al. 2003a, 2003b;
History of violence in general, may include prior criminal history of violent crime	Websdale 1999
Weapons Threats with weapons	Campbell 1995, 1986
Use of weapon in prior abusive incidents	Campbell 1995, 1986
Access to/ownership of guns	Websdale 1999; Bailey et al. 1997; Campbell 1995, 1986; Hart 1988
Morbid fascination with firearms	Websdale 1999

Offender Criminal History

Violent Criminal History Websdale 1999

Prior Contact with Police for Domestic Violence Websdale 1999

Other Offender Behavioral Factors

Drug or alcohol abuse Campbell 1995, 1986; Hart 1988

Obsessiveness/extreme jealousy/extreme dominance Websdale 1999; Campbell 1995; Hart

1988;

Threats of suicide by offender Websdale 1999; Campbell 1995,

1986; Hart 1988

Fantasies about homicide Hart 1988

Threats to kill victim, victim's family or friends (often

specifies details of plan)

Websdale 1999

Threats to harm children Campbell et al. 2003a, 2003b

Isolation of the batterer Hart 1988

Dependence of batterer on victim Hart 1988

Depression or poor mental health Hart 1988

Access to the victim Hart 1988

Sleep disturbances (chronic, sometimes receiving

treatment)

Websdale 1999

Relationship Characteristics

Longstanding relationship* M-S Morton et al. 1998;

Situational Factors

Estrangement, separation, or an attempt at separation

(usually by the female party)* M-S

Websdale 1999;

Social Structure

IPV homicide rates are lower in countries with higher gross Agha 2009;

domestic product per capita

Other Citations of Note

Murder-Suicide Banks et al. 2008; Barber et al. 2008;

Bossarte et al. 2006; Kozoil-McClain et al. 2006; Comstock 2005; Websdale 1999; Morton et al. 1998; Bailey et al.

1997; Stack 1997; Block and

Christakos 1995; Buteau, Lesage, and

Kiely 1993;

References

- Bailey, J. E., A. L. Kellermann, et al. 1997. Risk factors for violent death of women in the home. *Archives of Internal Medicine* 157: 777-782.
- Banks, L., C. Crandall, et al. 2008. A comparison of intimate partner homicide to intimate partner homicide-suicide One hundred and twenty-four new Mexico cases. Violence against Women 14: 1065-1078.
- Barber, C. W., D. Azrael, et al. 2008. Suicides and suicide attempts following homicide Victim-suspect relationship, weapon type, and presence of antidepressants. Homicide Studies 12: 285-297.
- Block, C. R., & Christakos, A. 1995. Intimate partner homicide in Chicago over 29 years. *Crime & Delinquency* 41: 496-526.
- Bossarte, R. M., T. R. Simon, et al. 2006. Characteristics of homicide followed by suicide incidents in multiple states, 2003-04. Injury Prevention 12: 33-38.
- Buteau, J., Lesage, A. D., & Kiely, M. C. 1993. Homicide followed by suicide: A Quebec case series, 1988-1990. *Canadian Journal of Psychiatry* 38: 552-556.
- Campbell, J. C. 1986. Assessment of Risk of Homicide for Battered Women. *Advances in Nursing Science* 8: 36-51.
- Campbell, J. C. 1995. Assessing Dangerousness: Violence by Sexual Offenders, Batterers, and Child Abusers. Thousand Oaks, CA: Sage
- Comstock, R.D. et al. 2005. Epidemiology of homicide-suicide events: Oklahoma, 1994-2001. American Journal of Forensic Medicine and Pathology 26: 229-235.
- Glass, N. E., Koziol-McLain, J., Campbell, J. C., & Block, C. R. 2004. Female-perpetrated femicide and attempted femicide. *Violence Against Women 10*: 606-625.
- Glass, N., Laughon, K., Campbell, J. C., Block, R. B., Hanson, G., & Sharps, P. S. 2008. Strangulation is an important risk factor for attempted and completed femicides. *Journal of Emergency Medicine*.
- Hart, B. 1988. Beyond the Duty to Warn: A Therapist's Duty to Protect Battered Women and Children. In Yllo, K. & Bograd, M. (Eds.) *Feminist Perspectives on Wife Abuse*. (pp. 234-248). Newbury Park, California: Sage.
- Koziol-McLain, J., Webster, D., McFarlane, J., Block, C. R., Curry, M. A., Ulrich, Y., et al. 2006. Risk factors for femicide-suicide in abusive relationships: Results from a multi-site case control study. *Violence and Victims* 21: 3-21.

McFarlane, J., Campbell, J. C., Wilt, S., Sachs, C., Ulrich, Y., & Xu, X. 1999. Stalking and Intimate Partner Femicide. *Homicide Studies*, 3: 300-316.

Morton, E., Runyan, C. W., Moracco, K. E., & Butts, J. 1998. Partner homicide victims: A population based study in North Carolina, 1988-1992. *Violence and Victims* 13: 91-106.

Stack, S. 1997. Homicide followed by suicide: An analysis of Chicago data. *Criminology* 35: 435-453.

Websdale, N. 1999. *Understanding Domestic Homicide*. Boston, MA: Northeastern University Press.

Websdale, N. 2000. *Lethality Assessment Tools: A critical analysis*. Harrisburg, PA: VAWnet, a project of the National Resource Center on Domestic Violence/Pennsylvania Coalition Against Domestic Violence. Retrieved 1/6/2012, from: http://www.vawnet.org.

Appendix 2: Common Abbreviations & Working Definitions

Abbreviations

DV Domestic Violence

DVOP Domestic Violence Order of Protection

IPV Intimate Partner Violence

IPVDRT Intimate Partner Violence Death Review Team

TDV Teen Dating Violence

Definitions

Bystander

A person who is not involved in the act of intimate partner violence, but is identified as a homicide victim, offender, or a witness to the IPV or homicide incident.

Child Witness

A child is a witness to domestic violence when an act that is defined as domestic violence is committed in the presence of or perceived by the child. The witnessing of domestic violence can be auditory, visual, or inferred, including cases in which the child perceives the aftermath of violence, such as physical injuries to family members or damage to property (Child Welfare Information Gateway 2009).

Homicide

Any death not classified as natural, accident or suicide, where a person dies as the result of an act performed by another, regardless of who perpetrated the incident. The Team's definition of homicide includes cases that may not meet the legal definition of murder.

Homicide Offender

The individual who committed the homicide, regardless of whether or not the individual was involved in the act of IPV.

Homicide Victim

The decedent of the homicide, regardless of whether or not the individual was involved in the act of IPV.

Intimate Partner Violence (IPV) Perpetrator

The identified perpetrator of the act of intimate partner violence, and may be either the victim or offender in the homicide.

Intimate Partner Violence Related Death (IPV-related death)

An IPV-related death is a homicide or suicide death that occurs either during or directly following an incident of intimate partner violence, dating violence, or sexual violence (regardless of relationship). The Team reviews intimate partner violence related deaths in the following categories:

- Decedent was murdered by an intimate partner,
- Decedent was murdered following a sexual assault (no relationship required),
- Decedent was murdered during / following an act of perpetrating either domestic or sexual violence (e.g. perpetrator of violence is killed by the victim, law enforcement, or a bystander attempting intervention),
- Decedent was murdered during an incident of domestic or sexual violence, but was neither the victim nor the perpetrator in the incident (e.g. a child or some other bystander is killed during the incident),
- Suicide of a victim of domestic violence that is carried out in the context of the violent incident, closely following such an incident, or the violence and/or legal consequences are identified as a reason by the decedent prior to death.
- Suicide of a perpetrator of domestic that is carried out in the context of the violent incident, closely following such an incident, or the violence and/or legal consequences are identified as a reason by the decedent prior to death. This includes cases involving the attempted murder of the domestic violence victim with a completed offender suicide (attempted murder-suicide);
- Suicide of a sexual assault victim that is carried out in the context of a sexual assault incident, closely following such an incident, or sexual assault is identified as a reason by the victim prior to death;
- Accidental death from asphyxiation, toxicity, or overdose that happens in the context of an incident of domestic or sexual violence or closely following such an incident.

Intimate Partner Violence (IPV) Victim

The victim in the act of intimate partner violence, and may be either the victim or offender in the homicide.

Technological Abuse

Intentional behavior used to control, harass, coerce, stalk, intimidate or victimize that is perpetrated through the internet, social networking sites, spyware or global positioning system (GPS) tracking technology, cellular phones, instant or text messages, or other forms of technology. Technological abuse can include unwanted, repeated calls or text messages, nonconsensual access to email, social networking accounts, texts or cell phone call logs, pressuring for or disseminating private or embarrassing pictures, videos, or other personal information (see VAWA Reauthorization draft definition).

Teen Dating Violence (TDV)

Actual or threatened acts of physical, sexual, psychological and verbal harm, including technological abuse, stalking, and economic coercion by a partner, boyfriend, girlfriend or someone wanting a personal or intimate relationship involving at least one individual 10-19 years of age, regardless of gender identity or sexual orientation (based in part on the VAWA Reauthorization draft definition, see https://www.ncjrs.gov/teendatingviolence).

Intimate Partner Violence (IPV) Witness

A person who witnesses an act of intimate partner violence, dating violence, sexual assault or behaviors which precede these types of violence. The witnessing of intimate partner, dating or sexual violence can be auditory, visual, or inferred, including cases in which the bystander perceives the aftermath of violence, such as physical injuries to family members or damage to property.

Stalking

Stalking is defined as "the willful, malicious, and repeated following and harassing" (Kilmartin & Allison 2007) of an individual in a course of conduct "that would cause a reasonable person fear" (Tjaden & Thoennes 1998). Stalking may involve persistent harassment over time and often more than one type of activity (Sheridan, Davies, & Boon 2001).

Stalking includes physical acts: following, tracking with GPS device, trespassing, spying or peeping, appearing at one's home, business, or favored social location, leaving written messages or objects, vandalizing property, and surveillance. This definition also includes acts defined as *non-consensual communication*: unwanted phone calls, postal mail, e-mail, text messages, instant messaging, contact through social networking sites, sending or leaving gifts or other items.

References

Child Welfare Information Gateway. 2009. Child Witness to Domestic Violence: Summary of State Laws. Washington, D.C.: U.S. Department of Health and Human Services. Available [Online]: http://www.childwelfare.gov/systemwide/laws_policies/statutes/witnessdvall.pdf.

Kilmartin, C., & Allison, J. 2007. Men's violence against women: Theory, research, and activism. New Jersey: Lawrence Erlbaum Associates.

Sheridan, L., Davies, G. M., & Boon, J.C.W. 2001. Stalking: Perceptions and prevalence. *Journal of Interpersonal Violence* 16: 151-167.

Tjaden, P., & Thoennes, N. 1998. Stalking in America: Findings from the National Violence Against Women Survey. Washington, DC: National Institute of Justice and Centers for Disease Control and Prevention. Available [On-line]: https://www.ncjrs.gov/pdffiles/169592.pdf.

Appendix 3: Team Member Case Review Feedback Form

NM Intimate Partner Violence Death Review Team Team Member Feedback

Risk Factors:			
w Enforcement Prosecution (Courts Corrections Probation & Parole		
Systems Evaluation: Law Enforcement, Prosecution, Courts, Corrections, Probation & Parole, Victim Service Agencies, Medical Services, Mental & Behavioral Health Care Services,			
Legislation & Public Policy, and Other Community & Social Services System Contact Failure (or Success) Recommendation			
ure (or Success)	Recommendation		
	Medical Services, Mental & Bo		

Appendix 4: Team Member Evaluation Comments

Please detach this form and return to coordinator at your convenience Feedback can also be emailed to dalbright@salud.unm.edu

Statutory Objectives	
Comments on and/or recommendations for agency representation in Team membership:	
Comments on and/or recommendations for meeting statutory objectives in 2011:	
Case Review	
Comments on and/or recommendations for improving case identification:	
Comments on and/or recommendations for improving data collection (Please note: if recommending access to information not currently collected, please provide point of contact for the owner of the data):	
Comments on and/or recommendations for improving the case report out process and forms:	
Thank you for your feedback!	