

**New
Mexico
Intimate
Partner
Violence
Death
Review
Team**

Process
Evaluation
Report

2016

January 21, 2016
Gabrielle Arousleman, MPH
Danielle Albright, PhD
Laura Banks, DVM, MPH
Ingrid Yitamben

Contents

Introduction.....	2
Statutory Objectives.....	4
Case Review Process: Identification through Data Collection.....	9
Case Reporting and Team Feedback Procedures.....	15
Appendix 1: Intimate Partner Violence Lethality Risk Factors.....	17
Appendix 2: Common Abbreviations & Working Definitions.....	25
Appendix 3: Team Member Case Review Feedback Form.....	28

Introduction

In December 2010, the New Mexico Intimate Partner Violence Death Review Team (Team) adopted a policy to produce an annual program evaluation. The evaluation is two pronged, consisting of both an assessment of outcomes and a process evaluation. The first report was completed in January 2011. The current report continues this work by updating prior evaluations and documenting new developments in the Team's process.

Outcomes Evaluation

In an effort to assess outcomes of the Team's work, Team members, in collaboration with the coordinator, monitor activities around the State that can be identified as consistent with the Team's recommendations from prior years. Activities may include, but are not limited to, developments in legislation, policy, and agency practice. Keeping track of these activities helps the Team assess the relevance of their recommendations over time. Team members report activities related to these recommendations at meetings as they occur throughout the year. These reports are documented by the coordinator and reported in the *Recommendation Updates* section of the Annual Report (reports available at <http://emed.unm.edu/cipre/programs/intimate-partner-violence-death-review/index.html>).

Process Evaluation


The second component of the evaluation plan is a process evaluation. Since 2011, the coordinator has provided the Team with a report on the case review process, including the case data collection strategy, case review procedures, and adherence to the Team's statutory mandate. This report is made available to the Team in January, where the Team may discuss the findings and provide feedback on improving the review process to better serve the mission, goals, and objectives established in *NMSA 1978 §31-22-4.1*.

Overview of the Death Review Process

The Team is tasked with reviewing the facts and circumstances of domestic violence related deaths and sexual assault related deaths in New Mexico. Each identified death incident is reviewed individually. The purpose of the review is to identify the causes of the fatalities and their relationship to government and nongovernment service delivery systems.

Recommendations for system improvements are made following each case review. Review findings and recommendations are compiled and reported in the aggregate at the end of each review year. This knowledge is produced with the goal of developing more effective methods of domestic violence prevention. Figure 1 provides a diagram of the review process.

Figure 1. Case Review Process



The present report provides an assessment of three components of the review process:

1. Meeting statutory directives, including: membership, meetings, and objectives,
2. The case review process from identification through data collection, and
3. The case review process from case presentation through Team member feedback.

This work is intended to serve as a discussion guide for the Team to review and make recommendations for improving the case review process.

Statutory Objectives

NMSA 1978 §31-22-4.1 defines the Team’s composition and sets out specific objectives to be accomplished.

Membership

The statute identifies 11 occupational categories to be represented in the Team’s appointed membership. A twelfth category consists of other appointees designated by the Crime Victim Reparations Commission. In 2016, the Team had 28 appointed members. Table 1 shows the number of appointed members by appointment category. Three appointed positions were vacant in 2016: Administrative Office of the District Attorney, Public Defender Department, and Aging and Long Term-Services Department. At the end of the year, there were five vacancies: the Administrative Office of the District Attorney, victim services, Public Defender Department, Aging and Long-Term Services Department, and Children, Youth, and Families Department. Two statutory categories were vacant at the end of 2016. Team Coordinator is currently working with CVRC to fill these vacancies.

Table 1. Number of 2016 Appointed Team Members by System Category

System	Number of representatives in system area
Administrative Office of the District Attorney	vacant
Attorney General’s Office	1
Civil Legal	3
Courts	3
Criminologist	1
Law Enforcement	3
Medical	3
Other Members	4
Public Defender	vacant
State Agencies	2
Tribal	3
Victim Services	4
Total Number of Members	27

In addition to appointed members, the Team also invites additional participants from system agencies. These members represent a diverse group of local, state, tribal, and federal agencies. Table 2 shows the distribution of invited members participating in the Team’s 2016 meetings by system category.

Table 2. Number of 2016 Invited Participants by System Category

System	Number of invited participants in system area
Administrative Office of District Attorneys	1
Attorney General’s Office	1
Civil Legal	1
Courts	2
Criminologist	0
Law Enforcement	5
Medical	1
Other Members	0
Public Defender	0
State Agencies	1
Tribal	3
Victim Services	6
Total Number of Members	21

*District Attorney’s Office (DA) Victim Advocate and Law Enforcement (LE) Victim Advocate are not areas of appointment. However, members of these professions regularly participate in team meetings and contribute to team case reviews.

Meetings

In 2016, there were 12 regular Team meetings. Meetings were held on the third Thursday of the month from 10 am to 12 pm. All meetings took place at the Albuquerque Family Advocacy Center. The January meeting was dedicated to reviewing the Team’s review process. Case reviews began in February and ran through the October meeting. Two additional ad hoc case review meetings were held. One meeting was held on August 18 to review intimate partner violence related homicide cases and a second meeting was held on October 20 to review suicide cases. In November, the Team reviewed aggregate findings from the case review meetings and prioritized recommendations for the annual report. In December, the Team held its annual business meeting.

The average attendance at Team meetings was 21 people total. The average number of appointed members in attendance was 14. The average number of appointment categories represented at each meeting was seven out of 12 categories. Quorum, as defined in the Team’s policies and procedures, was reached in eleven out of twelve 2016 Team meetings. Table 3 documents meeting attendance by month.

Table 3. 2016 Meeting Attendance by Month

Meeting Month	Total # of people in attendance	# of appointed members in attendance (%)*	# of appointment categories represented**
January	21	15	9
February	24	15	8
March	14	7	6
April	25	17	8
May	20	13	8
June	23	15	7
July	24	15	7
August	21	14	7
September	21	18	7
October	17	10	7
November	23	15	8
December	28	17	7

**Seven of 12 categories must be represented to establish quorum.

At case review, appointed members and invited participants provided insight into the policies and procedures of their respective agencies. Since Team goals include a holistic evaluation of system response, it was important to have all system categories present for each case review meeting. We have been tracking the participation of Law Enforcement advocate in previous years. In 2016, a Law Enforcement advocate was appointed under the Law Enforcement category.

Most appointed member absences were offset by the participation of invited members in the same category.

Table 4 describes system representation at 2016 Team meetings.

Table 4. System Representation at 2016 Team Meetings

System	# of meetings with at least one appointed member representing system area in attendance	# of meetings with at least one invited participant representing system area in attendance	# of meetings with at least one person representing system area in attendance
Administrative Office of District Attorneys*	0	1	1
Attorney General's Office	7	0	7
Civil Legal	12	4	12
Courts	11	2	12
Criminologist	3	1	4
Law Enforcement	7	5	10
Medical	12	11	12
Other Members	12	12	12
Public Defender	0	0	0
State Agencies	5	4	5
Tribal	12	4	12
Victim Services	11	7	12

* One meeting was attended by District Attorney's Office (DA) Victim.

In addition to the Team meetings, the Team's Committees also met throughout the year. The Native American Committee held three case review meetings and one meeting for generating recommendations. All meetings were held in Albuquerque. The Teen Dating Violence Committee held one case review meetings and one meeting for generating recommendations. The Friends and Family Committee held one organizational meeting. No friends and family interviews were conducted in 2016. The Marginalized Populations Committee held no meetings in 2016.

Objectives

The Team's statute defines 5 specific objectives to guide the Team's work. Table 5 lists each objective alongside corresponding 2016 activities and 2016 goals. Goals for 2016 were documented in the Team's 2015 Process Evaluation Report.

Table 5. Statutory Objectives, Team Activities, and Future Goals

Statutory Objectives	2016 Activities	2016 Goals
Review trends and patterns of domestic violence related homicides and sexual assault related homicides in New Mexico	Team compared patterns of risk factors and case characteristics across 2013 homicide and suicide cases. Research assistant added 2013 cases to data entry (2006-2013).	Complete Team activity for 2013 deaths, and Continue multi-year data entry and comparison of these characteristics (deaths occurring between 2005 and 2013).
Evaluate the responses of government and nongovernment service delivery systems and offer recommendations for improvement of the responses	Team compared system interventions preceding these deaths for both victim and offender and compared criminal charges and prosecution outcomes for 2013 homicides. Coordinator compiled intervention response variables for deaths occurring in 2013.	Complete Team activity for 2013 deaths, and Continue compilation of intervention response variables for deaths occurring in 2013.
Identify and characterize high-risk groups for the purpose of recommending developments in public policy	Team identified risk factors for each 2013 reviewed death, Coordinator compiled lethality risk variables for each case reviewed. Coordinator also updated the research reference table on lethality risk factors (See Appendix 1).	Complete activity for 2013 deaths, and Continue to monitor research on lethality risk factors and maintain list of research publications.
Collect statistical data in a consistent and uniform manner on the occurrence of domestic violence related homicides and sexual assault related homicides	Team utilized standardized form for collecting and reporting case data for each 2013 reviewed death. Coordinator updated database including all data elements and team feedback, for all reviewed 2013 cases.	Complete activity for 2013 deaths, and Maintain database of collected data elements (including the Team's feedback), enter case data for 2013.
Improve collaboration between tribal, state and local agencies and organizations to develop initiatives to prevent domestic violence	Team worked toward improved collaboration through organizational representation in Team membership, by monitoring community and agency prevention and intervention activities statewide, and by providing recommendations derived from multi-disciplinary case review discussion	Continue to assess ways in which organizations are working together to improve both prevention efforts and response to domestic violence.

Case Review Process: Identification through Data Collection

Case Identification

The coordinator identified cases for review using several methods: researching death records at the Office of the Medical Investigator, reviewing media reports regarding domestic and sexual violence, and receiving case suggestions from Team members or other professionals. The coordinator attempted to gather information on all domestic and sexual violence related deaths that occurred in the state. However, domestic or sexual violence related deaths are not always reported as such, and therefore, may be difficult to identify through public records.

Table 6 lists the types of cases that the Team considered for review, provides a brief definition of each, and identifies the number of reviewed calendar year 2013 cases (CY2013) that fit in each category. In 2016, the Team reviewed 33 deaths that resulted from 27 incidents of intimate partner violence. A full report of findings on CY2013 cases is available in the Team’s 2016 Annual Report.

Table 6. Types of CY2013 Intimate Partner Violence (IPV) Related Deaths Reviewed in 2016

Type of Case	Definition	Number of incidents reviewed in 2016
Intimate Partner Homicide	Homicide where the victim and offender are current or former intimate or dating partners (homicide decedent may be the victim or perpetrator of the incident of intimate partner violence), includes cases of murder-suicide	17
Sexual Assault Homicide	Homicide with a sexual assault component, regardless of the relationship between the victim and offender	0
Bystander-Involved IPV-Related Homicide	Homicide of any child, family member or other party or the death of the intimate partner violence perpetrator where the homicide is committed by someone other than his or her intimate partner, when the death occurs during an incident of intimate partner violence	5
IPV-Related Offender Suicide	Suicide by an intimate partner violence perpetrator when the death occurs during or directly following an act of intimate partner violence and the victim survives	5
IPV-Related Victim Suicide	Suicide by an intimate partner violence victim when the death occurs during or directly following an act of intimate partner violence and the perpetrator survives	0

Over time, the Team has altered the decisional criteria for case selection to include additional case types that may provide insight for preventing future injury and death resulting from intimate partner violence. Table 7 documents the case years (year of homicide incident) and review years (year of Team review) for which each type of case has been reviewed.

Table 7. Case Year by Types of Cases Selected for Review

Types of Case	Case Years	Review Years
Female Intimate Partner Homicide Victims	1993 - present	1998 - present
Female Sexual Assault Homicide Victims	1997 - present	1999 – present
Male Intimate Partner Homicide Victims	1999 - present	2001 – present
IPV Bystander Homicides	2003 - present	2007 - present
IPV Victim and IPV Offender Suicide Alone	2007 - present	2009 – present

Data Collection

Once cases were identified for review, the coordinator collected information about the victim and offender and the death incident. In addition to demographic and relationship information, the coordinator also determined which agencies or systems the victim or offender had contact with prior to or following the death and contacted each of those agencies to obtain all pertinent and available reports and case information. The coordinator also researched available media reports or other relevant information sources (i.e. websites and social media) regarding the death or prior incidents with the victim or the offender. Once compiled, this information was entered into the Team’s *Confidential Case Review Form* as completely as possible. Table 8 details the types of information collected by the coordinator for use in case investigation and compilation with notes on the availability and accessibility of each type of information.

Table 8. Case Review Data Types, Sources, and Access Review and Update

Types of Information	Source(s)	Access	Comments
Law enforcement reports, including crime scene investigations and detective's investigative reports	Individual law enforcement agencies	Good	Law enforcement reports are public records available upon request. Acquiring these documents may require a fee for copying/ mailing and can take from a few days to two or three weeks to obtain.
Media reports	Albuquerque Journal Subscription Archive* Internet Search	Good	Stories of intimate partner violence related deaths are collected in real time. Media coverage of homicide is consistent statewide and generally leads to stories on the arrest and prosecution of the offender. Murder-suicide is generally covered but to a lesser extent than homicide and there is no coverage of suicide unless it occurs in a public manner.
Details of any prior protective orders (temporary and permanent)	Identified through state court database, Retrieved from individual courts	Good	Protection order documents are public records available upon request. Acquiring these documents may require a fee for copying/ mailing and can take from a few days to two or three weeks to obtain.
Civil court data regarding divorce, termination of parental rights, child custody, or child visitation	Identified through state court database, Retrieved from individual courts	Good	Divorce proceedings are easily identified and those without children can be ordered from individual courts although we generally do not request these documents unless they are immediate / relevant to the death review. The transition to the Odyssey data system by the Administrative Office of the Courts has improved access to these data.

Table 8. Continued

Types of Information	Source(s)	Access	Comments
Criminal histories of the offender and the victim	Identified through state court database,		Consistent access to criminal histories within the State of NM.
	If relevant to review, reports may be requested from individual law enforcement agencies and / or courts	Fair-Good	Limited access to criminal histories for persons who are from out of state or have spent significant time outside of NM and those that live on the State's border with another state or Mexico.
CYFD protective services data (regarding referrals for service made in cases of alleged child abuse or neglect identified in case reviews)	Team Member Report Out	Poor	No direct access to CYFD records. Information is typically limited to referrals for service in cases involving minors with CYFD contact. In 2016 the CYFD member category was empty for most of the year and no case information was provided.
Adult protective services summary data and prior abuse history	Team Member Report Out	Fair	No direct access to records.
Summaries of psychological evaluations or reports appearing in public record documents, such as police files	As documented in law enforcement and / or court documents	Fair - Poor	No direct access to mental health care records. Rarely documented unless symptoms and/or treatment are reported immediately preceding the death.
OMI autopsy report	OMI Database**		
	In person review of autopsy records	Good	
Workplace information (stalking/harassment, alerts among co-workers)	As documented in law enforcement and / or court documents	Poor	Rarely documented unless the workplace and/or co-workers are tied in some way to the incident (location, witnesses, construction of timeline, etc.).

Table 8. Continued

Types of Information	Source(s)	Access	Comments
Medical reports and hospital emergency room information	As documented in law enforcement and / or court documents	Fair	Rarely documented unless immediately preceding the death. In 2016, a medical team member was approved to provide prescription drug monitoring information for case review.
Shelter or program services information from domestic violence or sexual assault advocates (if appropriate and legally permissible)	Team Member Report Out, As documented in law enforcement and / or court documents	Fair-Good	Difficult to identify shelter use unless reported in law enforcement documentation, Information on use of services and referrals by Sexual Assault Nurse Examiners is available by Team member report out.
School reports regarding children reporting abuse in the home	As documented by school personnel,	None-Fair	Limited success in accessing education records for teen and young adult decedents only. The content of records varies by school, but may document enrollment, grades, test scores, graduation, etc... Retrieved records do not typically contain information on suspected or reported abuse.
Statements from neighbors, friends or witnesses (often found in police files as transcribed material or in court documents or trial transcripts)	As documented in law enforcement and / or court documents	Fair-Good	In homicide and undetermined death cases, witness reports and interviews with relevant parties are generally documented. Witness reports are less rigorously documented in cases involving suicide and murder-suicide.
Pre-sentence investigation report (probation)		None	
Parole information (including victim notification)	Team Member Report Out, Court case information obtained through state court database	Fair	Electronically available court records do not contain a full report of the conditions of release, treatment orders, etc... but rather document only the terms of the original sentence. Details available in the electronic court record are limited to formal violations of court mandated conditions of release, and whether or not the parolee successfully completes the terms of parole.

Table 8. Continued

Types of Information	Source(s)	Access	Comments
Information regarding weapons confiscation, purchase, and background checks	As documented in law enforcement and / or court documents	Fair-Poor	Rarely documented unless directly related to or immediately preceding the death.
Drug and alcohol treatment information	As documented in incident reports and court records.	Poor	Limited to the determination of whether or not an individual has been mandated by the court to attend drug and/or alcohol treatment. No information on treatment for those with no criminal or DVOP history. At times, the facility for treatment is documented. Unless the individual is on probation and/or parole and violated for failure to attend or complete treatment, we do not have access to information on the outcome of treatment.

*The Department of Emergency Medicine at UNM maintains a subscription to the Albuquerque Journal archives.

**In accordance with agency policies, the Department of Emergency Medicine at UNM has submitted the Use of Decedent Protected Health Information form to the UNM Human Research Protections Office in order to be granted access to autopsy records from the Office of the Medical Investigator. This data source is critical to identifying cases for review.

Definitions

Throughout the case identification and data collection process, the coordinator used a number of working definitions to guide selection of appropriate cases and coding of case characteristics. Appendix 2 contains a list of working definitions used for this purpose. These definitions were based in part on existing research, but were also adapted based on the Team's experience with case review. The appendix also contains commonly used abbreviations.

Case Reporting and Team Feedback Procedures

During closed sessions of Team meetings, the coordinator distributed the *Confidential Case Review Form* and other relevant documents (i.e. news articles, court docket entries) to the Team. The form included detailed information about the victim, offender, the relationship between the parties, the death incident, system response to the death, and a narrative that included a timeline of events surrounding the death. Team members reviewed the information provided and the narrative was read aloud. Team members asked questions to clarify issues or obtain additional information about the case. When appropriate, the coordinator invited representatives from agencies or systems that had contact with the offender or the victim prior to or following the death to the meetings in order to provide the Team with additional information not available in the written records.

After reading and discussing the facts of the death, Team members conducted a thorough review of the death and factors associated with the death. In particular, Team members looked for: risk factors for the victim or the offender prior to the death, system failures associated with the death, and recommendations for policy or systems improvement. At the conclusion of the meeting, all documents related to the case were collected by the coordinator and either secured for storage or destroyed.

As of the 2013 review year, all information contained in the *Confidential Case Review Form* was recorded in databases so that standardized case data can be monitored over time. Data entry has been completed for CY 2006-2013 cases.

Feedback

Each Team member was responsible for participating in the case review discussion and for providing written feedback on case findings and recommendations. The Team relies on the professional expertise of each of its members and therefore, it was important for Team members to analyze each case according to their profession and contribute ideas and suggestions for inclusion in the Team's recommendations. After each review, the coordinator summarized the findings and recommendations identified in the review and maintained case statistics for aggregate reporting, such as age, race, and gender of victims and offenders and the relationship between victim and offender. Member feedback was also recorded in the case information database.

Each year, the Team discusses modifications to the feedback process. Our goal is to generate recommendations that closely address the system issues observed during case reviews. The current *Team Member Case Review Feedback Form* is provided in Appendix 3 for discussion.

Appendix 1: Intimate Partner Violence Lethality Risk Factors

The following is a draft list of intimate partner violence lethality risk factors with citations for the publication of the source research. Risk factors are organized into types and are otherwise listed in no particular order. Most of this research is based on the homicide death of female IPV-victims killed by male IPV-perpetrators. Some of the early works are based on professional experience of the author and non-systematic research methods. Not all of these factors increase lethality risk in the same way, to the same extent, or in all populations. The documentation of lethality risk factors is an ongoing task and will (in the future) be updated to include more information on the circumstances under which the characteristic increases risk. In the meantime, **if you are planning to cite these works, please see source materials** for information on research design, sampling, and generalizability and to ensure that the research finding is applicable to the item you are referencing.

Lethality Risk Factor	Citation
<i>Prior Violence</i>	
Forced sex of female partner	Anderson, Draughon, and Campbell 2013; Campbell et al. 2007; Dobash et al. 2007; Nicolaidis et al. 2003; Campbell et al. 2003a, 2003b; Campbell 1995, 1986;
Attempt of suicide by offender	Hillbrand, M. 2014; Websdale 1999; Hart 1988
Attempted homicide by offender	Hart 1998
Prior history of domestic violence	Campbell et al. 2003a, 2003b; Websdale 1999; Bailey et al. 1997
Serious victim injury in prior abusive incidents	Campbell 1995, 1986
Stalking of the victim	Websdale 1999
Nonfatal strangulation and/or prior choking	Douglas and Fitzgerald 2014; Glass et al. 2008; Campbell et al. 2003a, 2003b
History of violence in general, may include prior criminal history of violent crime	Websdale 1999
Return to abuser after separation due to abuse	McFarlane et al. 2016

Lethality Risk Factor	Citation
<i>Weapons</i>	
Threats with weapons	Campbell 1995, 1986
Use of weapon in prior abusive incidents	Campbell 1995, 1986
Morbid fascination with firearms	Websdale 1999
Access to weapons increases severity of domestic violence	Folkes, Hilton, and Harris 2012
State firearm policy	Siegel and Rothman 2016; Zeoli, Malinski, and Turchan 2016
<i>Offender Criminal History</i>	
Violent Criminal History	Websdale 1999
Prior Contact with Police for Domestic Violence	Websdale 1999
<i>Other Offender Behavioral Factors</i>	
Drug or alcohol abuse	Campbell 1995, 1986; Hart 1988
Obsessiveness/extreme jealousy/extreme dominance	Websdale 1999; Campbell 1995; Hart 1988
Threats of suicide by offender	Websdale 1999; Campbell 1995, 1986; Hart 1988
Fantasies about homicide	Hart 1988
Threats to kill victim, victim's family or friends (often specifies details of plan)	Websdale 1999
Threats to harm children	Campbell et al. 2003a, 2003b
Isolation of the batterer	Hart 1988
Dependence of batterer on victim	Hart 1988
Depression or poor mental health	Lysell, Dahlin, Långström, Lichtenstein, and Runeson 2016; Flynn, Gask, Appleby, and Shaw 2016; Hart 1988
Access to the victim	Hart 1988
Sleep disturbances (chronic, sometimes receiving treatment)	Websdale 1999
<i>Relationship Characteristics</i>	
Longstanding relationship* M-S	Morton et al. 1998
Marital Status/Cohabitation Status	Ellis 2016; James and Daly 2012

Lethality Risk Factor	Citation
<i>Situational Factors</i>	
Estrangement, separation, or an attempt at separation (usually by the female party)* M-S	Websdale 1999
Step-children in home	Miner et al. 2012
IPV homicide rates are lower in countries with higher gross domestic product per capita	Agha 2009
Neighborhood environment differentiates the characteristics of urban and rural intimate partner homicide	Beyer et al. 2013
Female victim's employment outside the home	Powers and Kaukinen 2012
Pregnancy/Suspected pregnancy	Koch, Rosenberg, and Geller 2016; Wallace, Hoyert, Williams, and Mendola 2016
<i>Demographic / Life Course Characteristics</i>	
Age	Salari and Maxwell 2016
Gender of Perpetrator	Camann, Howner, Kristiansson, and Sturup 2016; Stewart et al. 2014; Belknap et al. 2012; Bourget and Gagne 2012; Reckdenwald and Parker 2012; Weizmann-Henelius et al. 2012
<i>Other Citations of Note</i>	
Murder-Suicide	Salari and Sillito 2016; Flynn, Gask, Appleby and Shaw 2016; Kalesan, Mobily, Vasan, Siegel, and Galea, S. 2016; Huguet and Lewis-Laietmark 2016; Banks et al. 2008; Barber et al. 2008; Bossarte et al. 2006; Kozoil-McClain et al. 2006; Comstock 2005; Websdale 1999; Morton et al. 1998; Bailey et al. 1997; Stack 1997; Block and Christakos 1995; Buteau, Lesage, and Kiely 1993;
Risk of child death in domestic violence homicide incidents	Jaffee, Cambell, Olszowy, and Hamilton 2014; Hamilton, Jaffe, and Campbell 2012
Non-Intimates as victims in IPV-related homicides	Dobash and Dobash 2012;

Homicide of law enforcement officers responding to domestic violence	Kercher, et al. 2013
System actors' accuracy in assessing victim risk	Robinson and Howarth 2012
Media coverage of domestic violence homicide	Gillespie et al. 2013
IPV Risk Assessment Instruments (Reliability and Validity)	Messing et al. 2016; Storey and Hart 2014; Kropp and Cook 2013; Winkel and Baldry 2013; Belfrage and Strand 2012; Belfrage et al. 2012; Messing and Thaller 2012; Williams 2012
Conceptualization of fatality risk	Gnisci and Pace 2016

References

- Anderson, J.C., Draughon, J.E., and Campbell, J.C. 2013. Fatality and Health Risks Associated with Intimate Partner Sexual Violence. In McOrmond-Plummer, L., Eastal, P., and Levy-Peck, J.Y. (eds), *Intimate Partner Sexual Violence: A Multi-Disciplinary Guide to Improving Services and Support for Survivors of Rape and Abuse*. Philadelphia: Jessica Kingsley Publishers.
- Anglemyer, A., Horvath, T., and Rutherford, G. 2014. The Accessibility of Firearms and Risk for Suicide and Homicide Victimization Among Household Members: A Systematic Review and Meta-analysis. *Annals of Internal Medicine* 160: 101-110.
- Bailey, J. E., A. L. Kellermann, et al. 1997. Risk factors for violent death of women in the home. *Archives of Internal Medicine* 157: 777-782.
- Banks, L., C. Crandall, et al. 2008. A comparison of intimate partner homicide to intimate partner homicide-suicide - One hundred and twenty-four New Mexico cases. *Violence against Women* 14: 1065-1078.
- Barber, C. W., D. Azrael, et al. 2008. Suicides and suicide attempts following homicide - Victim-suspect relationship, weapon type, and presence of antidepressants. *Homicide Studies* 12: 285-297.
- Belfrage, H.S. and J.E. Strand. 2012. Measuring the Outcome of Structured Spousal Violence Risk Assessments Using the B-Safer: Risk in Relation to Recidivism and Intervention. *Behavioral Sciences & the Law* 30: 420-430.
- Belfrage, H. S. Strand, J.E. Storey, A.L. Gibas, P. R. Kropp, and S.D. Hart. 2012. Assessment and Management of Risk for Intimate Partner Violence by Police Officers Using the Spousal Assault Risk Assessment Guide. *Law and Human Behavior* 36: 60-67.
- Belknap, J., D.L. Larson, M.L. Abrams, C. Garcia, and K. Anderson-Block. 2012. Types of Intimate Partner Homicides Committed by Women: Self-Defense, Proxy/Retaliation, and Sexual Proprietariness. *Homicide Studies* 16: 359-379.

- Beyer, K.M.M., Layde, P.M., Hamberger, L.K., and Laud, P.W. 2013. Characteristics of the Residential Neighborhood Environment Differentiate Intimate Partner Femicide in Urban Versus Rural Settings. *Journal of Rural Health* 29: 281-293.
- Block, C. R., & Christakos, A. 1995. Intimate partner homicide in Chicago over 29 years. *Crime & Delinquency* 41: 496-526.
- Bossarte, R. M., T. R. Simon, et al. 2006. Characteristics of homicide followed by suicide incidents in multiple states, 2003-04. *Injury Prevention* 12: 33-38.
- Bourget, D. and P. Gagne. 2012. Women Who Kill Their Mates. *Behavioral Sciences & the Law* 30: 598-614.
- Buteau, J., Lesage, A. D., & Kiely, M. C. 1993. Homicide followed by suicide: A Quebec case series, 1988-1990. *Canadian Journal of Psychiatry* 38: 552-556.
- Caman, S., Howner, K., Kristiansson, M., & Sturup, J. (2016). Differentiating Male and Female Intimate Partner Homicide Perpetrators: A Study of Social, Criminological and Clinical Factors. *International Journal of Forensic Mental Health*, 15(1), 26-34.
- Campbell, J. C. 1986. Assessment of Risk of Homicide for Battered Women. *Advances in Nursing Science* 8: 36-51.
- Campbell, J. C. 1995. *Assessing Dangerousness: Violence by Sexual Offenders, Batterers, and Child Abusers*. Thousand Oaks, CA: Sage
- Campbell, J.C., Glass, N., Sharps, P.W., Laughon, K., and Bloom T. 2007. Intimate Partner Homicide: Review and Implications of Research and Policy. *Trauma, Violence, & Abuse* 8: 246-269.
- Campbell, J.C., Webster, D., Koziol-McLain, J., Block, C.R. et al. 2003. Risk Factors for Femicide-Suicide in Abusive Relationships: Results from a Multisite Case Control Study. *American Journal of Public Health* 93: 1089-1097.
- Comstock, R.D. et al. 2005. Epidemiology of homicide-suicide events: Oklahoma, 1994-2001. *American Journal of Forensic Medicine and Pathology* 26: 229-235.
- Dobash, R.P. and R. E. Dobash. 2012. Who Died? The Murder of Collaterals Related to Intimate Partner Conflict. *Violence Against Women* 18: 662-671.
- Dobash, R. E., Dobash, R.P., Cavanagh, K., and Medina-Ariza, J. 2007. Lethal and Nonlethal Violence Against an Intimate Female Partner: Comparing Male Murderers to Nonlethal Abusers. *Violence Against Women* 13: 329-353.
- Douglas, H., and Fitzgerald, R.B. 2014. Strangulation, Domestic Violence and the Legal Response. *The Sydney Law Review* 36: 231-254. Available online: <http://ssrn.com/abstract=2467941>.
- Ellis, D. (2016). Marital separation and lethal male partner violence. *Violence against women*, 1077801216644985.

Flynn, S., Gask, L., Appleby, L., & Shaw, J. (2016). Homicide–suicide and the role of mental disorder: a national consecutive case series. *Social psychiatry and psychiatric epidemiology*, 51(6), 877-884.

Folkes, S.E.F., N.Z. Hilton, and G.T. Harris. 2012. Weapon Use Increases Severity of Domestic Violence but Neither Weapon Use nor Firearm Access Increases the Risk or Severity of Recidivism. *Journal of Interpersonal Violence* XX: 1-14.

Gillespie, L.K, Richards, T.N., Givens, E.M., and Smith, M.D. 2013. Framing Deadly Domestic Violence: Why the Media's Spin Matters in Newspaper Coverage of Femicide. *Violence Against Women* 19: 222-245.

Glass, N. E., Koziol-McLain, J., Campbell, J. C., & Block, C. R. 2004. Female-perpetrated femicide and attempted femicide. *Violence Against Women* 10: 606-625.

Glass, N., Laughon, K., Campbell, J. C., Block, R. B., Hanson, G., & Sharps, P. S. 2008. Strangulation is an important risk factor for attempted and completed femicides. *Journal of Emergency Medicine*.

Gnisci, A., & Pace, A. (2016). Lethal domestic violence as a sequential process: Beyond the traditional regression approach to risk factors. *Current Sociology*, 64(7), 1108-1123.

Hamilton, L.H.A., P.G. Jaffe, and M. Campbell. 2012. Assessing Children's Risk for Homicide in the Context of Domestic Violence. *Journal of Family Violence* DOI 10.1007/s10896-012-9473-x.

Hart, B. 1988. Beyond the Duty to Warn: A Therapist's Duty to Protect Battered Women and Children. In Yllo, K. & Bograd, M. (Eds.) *Feminist Perspectives on Wife Abuse*. (pp. 234-248). Newbury Park, California: Sage.

Hillbrand, M. 2014. Overlap Between Suicidal Behavior and Interpersonal Violence. In Nock, Matthew K. (Ed.). 2014. *The Oxford Handbook of Suicide and Self-Injury*. New York: Oxford University Press, pp. 431-443.

Huguet, N. and Lewis-Laietmark, C. 2016. Rates of homicide-followed-by-suicide among White, African American, and Hispanic men. *Public Health*, 129: 280-282.

Jaffee, P.G., Campbell, M., Olszowy, L., and L.H.A. Hamilton. 2014. Paternal Filicide in the Context of Domestic Violence: Challenges in Risk Assessment and Risk Management for Community and Justice Professionals. *Child Abuse Review* 23: 142-153.

James, B. and M. Daly. 2012. Cohabitation is No Longer Associated With Elevated Spousal Homicide Rates in the United States. *Homicide Studies* 16: 393-403.

Kalesan, B., Mobily, M. E., Vasan, S., Siegel, M., & Galea, S. (2016). The Role of Interpersonal Conflict as a Determinant of Firearm-Related Homicide–Suicides at Different Ages. *Journal of interpersonal violence*, 0886260516629387.

Kercher, C., Swedler, D., Pollack, K.M. and Webster, D.W. 2013. Homicides of Law Enforcement Officers Responding to Domestic Disturbance Calls. *Injury Prevention* 0: 1-5.

Koch, A. R., Rosenberg, D., & Geller, S. E. (2016). Higher Risk of Homicide Among Pregnant and Postpartum Females Aged 10–29 Years in Illinois, 2002–2011. *Obstetrics & Gynecology*, 128(3), 440-446.

Koziol-McLain, J., Webster, D., McFarlane, J., Block, C. R., Curry, M. A., Ulrich, Y., et al. 2006. Risk factors for femicide-suicide in abusive relationships: Results from a multi-site case control study. *Violence and Victims* 21: 3-21.

Kropp, P.R. and Cook, A.N. 2013. Intimate Partner Violence, Stalking and Femicide. In Meloy, J.R. and Hoffmann, J. (eds.), *International Handbook of Threat Assessment*. New York: Oxford University Press.

Lysell, H., Dahlin, M., Långström, N., Lichtenstein, P., & Runeson, B. (2016). Killing the mother of one's child: psychiatric risk factors among male perpetrators and offspring health consequences. *The Journal of clinical psychiatry*, 77(3), 342-347.

McFarlane, J., Campbell, J. C., Wilt, S., Sachs, C., Ulrich, Y., & Xu, X. 1999. Stalking and Intimate Partner Femicide. *Homicide Studies*, 3: 300-316.

McFarlane, J., Nava, A., Gilroy, H., and Maddoux, J. 2016. Risk of Behaviors Associated with Lethal Violence and Functional Outcomes for Abused Women Who Do and Do Not Return to the Abuser Following a Community-Based Intervention. *Journal of Women's Health*, 24: 272-280.

Messing, J.T., Campbell, J., Wilson, J.S., Brown, S., and Patchell, B. 2016. The Predictive Validity of an Intimate Partner Violence Risk Assessment for Use by First Responders. *Journal of Interpersonal Violence*, 14: 5-11.

Messing, J.T. and J. Thaller. 2012. The Average Predictive Validity of Intimate Partner Violence Risk Assessment Instruments. *Journal of Interpersonal Violence* doi: 10.1177/0886260512468250.

Miner, E.J., T.K. Shackelford, C.R. Block, V.G. Starratt, and V.A. Weekes-Shackelford. 2012. Risk of Death or Life-Threatening Injury for Women with Children Not Sired by the Abuser. *Human Nature* 23: 89-97.

Morton, E., Runyan, C. W., Moracco, K. E., & Butts, J. 1998. Partner homicide victims: A population based study in North Carolina, 1988-1992. *Violence and Victims* 13: 91-106.

Nicolaidis, C., Curry, M.A., Ulrich, Y., Sharps, P. et al. 2003. Could We Have Known? A Qualitative Analysis of Data from Women Who Survived an Attempted Homicide by an Intimate Partner. *Journal of General Internal Medicine* 18: 788-794.

Powers, R.A. and C.E. Kaukinen. 2012. Trends in Intimate Partner Violence, 1980-2008. *Journal of Interpersonal Violence* 27: 3072-3090.

Reckdenwald, A. and K.F. Parker. 2012. Understanding the Change in Male and Female Intimate Partner Homicide Over Time: A Policy- and Theory-Relevant Investigation. *Feminist Criminology* 7: 167-195.

Robinson, A.L. and E. Howarth. 2012. Judging Risk: Key Determinants in British Domestic Violence Cases. *Journal of Interpersonal Violence* 27: 1489-1518.

Salari, S., & Maxwell, C. D. (2016). Lethal intimate partner violence in later life: Understanding measurements, strengths, and limitations of research. *Journal of Elder Abuse & Neglect*, 28(4-5), 235-262.

Salari, S., & Sillito, C. L. (2016). Intimate partner homicide–suicide: perpetrator primary intent across young, middle, and elder adult age categories. *Aggression and violent behavior*, 26, 26-34.

Siegel, M. B., & Rothman, E. F. (2016). Firearm ownership and the murder of women in the United States: evidence that the state-level firearm ownership rate is associated with the nonstranger femicide rate. *Violence and gender*, 3(1), 20-26.

Stack, S. 1997. Homicide followed by suicide: An analysis of Chicago data. *Criminology* 35: 435-453.

Stewart, L.A., Gabora, N., Allegri, N. Slavin-Stewart, M.C. 2014. Profile of Female Perpetrators of Intimate Partner Violence in an Offender Population: Implications for Treatment. *Partner Abuse* 5: 168-188.

Storey, J. and S.D. Hart. 2014. An examination of the Danger Assessment as a victim-based risk assessment instrument for lethal intimate partner violence. *Journal of Threat Assessment and Management* 1: 56-66.

Wallace, M. E., Hoyert, D., Williams, C., & Mendola, P. (2016). Pregnancy-associated homicide and suicide in 37 US states with enhanced pregnancy surveillance. *American journal of obstetrics and gynecology*, 215(3), 364-e1.

Websdale, N. 1999. *Understanding Domestic Homicide*. Boston, MA: Northeastern University Press.

Websdale, N. 2000. *Lethality Assessment Tools: A critical analysis*. Harrisburg, PA: VAWnet, a project of the National Resource Center on Domestic Violence/Pennsylvania Coalition Against Domestic Violence. Retrieved 1/6/2012, from: <http://www.vawnet.org>.

Weizmann-Henelius, G., L.M. Gronroos, H. Putkonen, M. Eronen, N. Linberg, and H. Hakkanen-Nyholm. 2012. Gender-Specific Risk Factors for Intimate Partner Homicide: A Nationwide Register-Based Study. *Journal of Interpersonal Violence* 27: 1519-1539.

Williams, K.R. 2012. Family Violence Risk Assessment: A Predictive Cross-Validation Study of the Domestic Violence Screening Instrument-Revised (DVSI-R). *Law and Human Behavior* 36: 120-129.

Winkel, F. W., and Baldry, A.C. (eds.). 2013. *Domestic Assault Risk Assessment: Predictive Validity at the Interface of Forensic and Victimological Psychology*. Oisterwijk, The Netherlands: Wolf Legal Publishers.

Zeoli, A. M., Malinski, R., & Turchan, B. (2016). Risks and targeted interventions: firearms in intimate partner violence. *Epidemiologic reviews*, 38(1), 125-139.

Appendix 2: Common Abbreviations & Working Definitions

Abbreviations

DV	Domestic Violence
DVOP	Domestic Violence Order of Protection
IPV	Intimate Partner Violence
IPVDRT	Intimate Partner Violence Death Review Team
SA	Sexual Assault
TDV	Teen Dating Violence

Definitions

Bystander

A bystander is defined as a person who is not involved in the act of intimate partner violence or sexual assault, but is identified as a witness to the incident of intimate partner or sexual violence. This includes children, neighbors, family members and/or any other individuals who may be present at the scene of an incident of intimate partner or sexual violence. At times, bystanders to the incident may become either the decedent (sometimes called secondary victim) or the offender in the homicide.

Child Witness

A child is a witness to intimate partner or sexual violence when an act that is defined as such is committed in the presence of or perceived by the child. The witnessing of violence can be auditory, visual, or inferred, including cases in which the child perceives the aftermath of violence, such as physical injuries to family members or damage to property (Child Welfare Information Gateway 2009). The team identifies child witnesses only for cases involving minor children (aged 17 years and younger).

Homicide

Homicide is defined as any death not classified as natural, accident or suicide, where a person dies as the result of an act performed by another, regardless of who perpetrated the incident. The Team's definition of homicide includes cases that may not meet the legal definition of murder.

Homicide Offender

The homicide offender is defined as the individual who committed the act of homicide, regardless of whether or not the individual was involved in the act of IPV or SA.

Homicide Decedent

The homicide victim is the decedent of the act of homicide, regardless of whether or not the individual was involved in the act of IPV or SA.

Intimate Partner Violence (IPV) Perpetrator

The identified perpetrator of the act of intimate partner violence, and may be either the victim or offender in the homicide.

Intimate Partner Violence or Sexual Assault-Related Death (IPV- or SA-related death)

An IPV-related death is a one that occurs either during or directly following an incident of intimate partner violence, dating violence, or sexual violence (regardless of relationship). The Team reviews intimate partner violence related deaths in the following categories:

- Decedent was murdered by an intimate partner,
- Decedent was murdered following a sexual assault (no relationship required),
- Decedent was murdered during / following an act of intimate partner violence,
- Suicide of a victim of domestic violence that is carried out in the context of the violent incident, closely following such an incident, or the violence and/or legal consequences are identified as a reason by the decedent prior to death.
- Suicide of a perpetrator of domestic that is carried out in the context of the violent incident, closely following such an incident, or the violence and/or legal consequences are identified as a reason by the decedent prior to death. This includes cases involving the attempted murder of the domestic violence victim with a completed offender suicide (attempted murder-suicide);
- Suicide of a sexual assault victim that is carried out in the context of a sexual assault incident, closely following such an incident, or sexual assault is identified as a reason by the victim prior to death;
- Suicide of a sexual assault perpetrator that is carried out in the context of a sexual assault incident, closely following such an incident, or sexual assault is identified as a reason by the perpetrator prior to death;
- Accidental death from asphyxiation, toxicity, or overdose that happens in the context of an incident of domestic or sexual violence or closely following such an incident.

Intimate Partner Violence (IPV) Victim

The victim in the act of intimate partner violence, and may be either the victim or offender in the homicide.

Sexual Assault Perpetrator

The perpetrator in the act of actual or attempted sexual assault. The sexual assault perpetrator may be either the victim or offender in the homicide.

Sexual Assault Victim

The victim of an actual or attempted sexual assault. The sexual assault victim may be either the victim or offender in the homicide.

Technological Abuse

Intentional behavior used to control, harass, coerce, stalk, intimidate or victimize that is perpetrated through the internet, social networking sites, spyware or global positioning system (GPS) tracking technology, cellular phones, instant or text messages, or other forms of technology. Technological abuse can include unwanted, repeated calls or text messages, non-consensual access to email, social networking accounts, texts or cell phone call logs, pressuring for or disseminating private or embarrassing pictures, videos, or other personal information (see VAWA Reauthorization draft definition).

Teen Dating Violence (TDV)

Actual or threatened acts of physical, sexual, psychological and verbal harm, including technological abuse, stalking, and economic coercion by a partner, boyfriend, girlfriend or someone wanting a personal or intimate relationship involving at least one individual 10-19 years of age, regardless of gender identity or sexual orientation (based in part on the VAWA Reauthorization draft definition, see <https://www.ncjrs.gov/teendatingviolence>).

Stalking

Stalking is defined as "the willful, malicious, and repeated following and harassing" (Kilmartin & Allison 2007) of an individual in a course of conduct "that would cause a reasonable person fear" (Tjaden & Thoennes 1998). Stalking may involve persistent harassment over time and often more than one type of activity (Sheridan, Davies, & Boon 2001).

Stalking includes physical acts: following, tracking with GPS device, trespassing, spying or peeping, appearing at one's home, business, or favored social location, leaving written messages or objects, vandalizing property, and surveillance. This definition also includes acts defined as *non-consensual communication:* unwanted phone calls, postal mail, e-mail, text messages, instant messaging, contact through social networking sites, sending or leaving gifts or other items.

Suicide Decedent

The suicide decedent is an individual who committed an intentional act of violence against him or herself that resulted in death. The term is used to designate both those who commit suicide alone as well as those who commit suicide following the homicide or attempted homicide of an intimate partner.

References

Child Welfare Information Gateway. 2009. Child Witness to Domestic Violence: Summary of State Laws. Washington, D.C.: U.S. Department of Health and Human Services. Available [On-line]: http://www.childwelfare.gov/systemwide/laws_policies/statutes/witnessdvall.pdf.

Kilmartin, C., & Allison, J. 2007. Men's violence against women: Theory, research, and activism. New Jersey: Lawrence Erlbaum Associates.

Sheridan, L., Davies, G. M., & Boon, J.C.W. 2001. Stalking: Perceptions and prevalence. *Journal of Interpersonal Violence* 16: 151-167.

Tjaden, P., & Thoennes, N. 1998. Stalking in America: Findings from the National Violence Against Women Survey. Washington, DC: National Institute of Justice and Centers for Disease Control and Prevention. Available [On-line]: <https://www.ncjrs.gov/pdffiles/169592.pdf>.

Appendix 3: Team Member Case Review Feedback Form

New Mexico Intimate Partner Violence Death Review Team
Member Feedback Form

Case # 2011-

Instructions

1. During the reading of the case narrative, complete the case review worksheet in column one.
2. Use the numbered spaces at the bottom of the case review worksheet to make a list of system successes, gaps or failures observed in this case.
3. Following the group discussion, complete one “feedback and recommendation” column **for each system success, gap, or failure identified**.

Please note: we want to capture all system issues in the written feedback; however, it may be necessary to prioritize gaps and failures for discussion.

Case Review Worksheet	Feedback and Recommendation #1																																																															
<p>Would you define this case as either intimate partner violence or sexual assault related? If no, please explain. <input type="checkbox"/> Yes <input type="checkbox"/> No Comments:</p>	<p>Briefly state one system success, gap, or failure from the worksheet that you are addressing.</p>																																																															
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Background Characteristics / Fatality Risk Factors</th> <th style="text-align: center;">IPV/SA Perpetrator</th> <th style="text-align: center;">IPV/SA Victim</th> </tr> </thead> <tbody> <tr><td>Less than high school education</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Unemployed</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Alcohol abuse</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Illicit drug abuse</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Mental health problem</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Threatened to commit suicide</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Access to firearm</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Prior domestic violence victimization</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Prior domestic violence perpetration</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Prior arrest for violent crime</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Prior arrest for domestic violence</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Separated from partner</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Threatened to kill partner</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td> </td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td> </td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td> </td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> </tbody> </table>	Background Characteristics / Fatality Risk Factors	IPV/SA Perpetrator	IPV/SA Victim	Less than high school education	<input type="checkbox"/>	<input type="checkbox"/>	Unemployed	<input type="checkbox"/>	<input type="checkbox"/>	Alcohol abuse	<input type="checkbox"/>	<input type="checkbox"/>	Illicit drug abuse	<input type="checkbox"/>	<input type="checkbox"/>	Mental health problem	<input type="checkbox"/>	<input type="checkbox"/>	Threatened to commit suicide	<input type="checkbox"/>	<input type="checkbox"/>	Access to firearm	<input type="checkbox"/>	<input type="checkbox"/>	Prior domestic violence victimization	<input type="checkbox"/>	<input type="checkbox"/>	Prior domestic violence perpetration	<input type="checkbox"/>	<input type="checkbox"/>	Prior arrest for violent crime	<input type="checkbox"/>	<input type="checkbox"/>	Prior arrest for domestic violence	<input type="checkbox"/>	<input type="checkbox"/>	Separated from partner	<input type="checkbox"/>	<input type="checkbox"/>	Threatened to kill partner	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<p>To which system area does this system success, gap or failure primarily relate?</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Law Enforcement</td> <td><input type="checkbox"/> Prosecution</td> </tr> <tr> <td><input type="checkbox"/> Courts</td> <td><input type="checkbox"/> Corrections</td> </tr> <tr> <td><input type="checkbox"/> Probation & Parole</td> <td><input type="checkbox"/> Victim Services</td> </tr> <tr> <td><input type="checkbox"/> Medical Services</td> <td><input type="checkbox"/> Mental Health Services</td> </tr> <tr> <td><input type="checkbox"/> Substance Abuse Services</td> <td><input type="checkbox"/> Legislation/Policy</td> </tr> <tr> <td colspan="2"><input type="checkbox"/> Other, specify (e.g. social services, schools, community)</td> </tr> </table>	<input type="checkbox"/> Law Enforcement	<input type="checkbox"/> Prosecution	<input type="checkbox"/> Courts	<input type="checkbox"/> Corrections	<input type="checkbox"/> Probation & Parole	<input type="checkbox"/> Victim Services	<input type="checkbox"/> Medical Services	<input type="checkbox"/> Mental Health Services	<input type="checkbox"/> Substance Abuse Services	<input type="checkbox"/> Legislation/Policy	<input type="checkbox"/> Other, specify (e.g. social services, schools, community)	
Background Characteristics / Fatality Risk Factors	IPV/SA Perpetrator	IPV/SA Victim																																																														
Less than high school education	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Unemployed	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Alcohol abuse	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Illicit drug abuse	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Mental health problem	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Threatened to commit suicide	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Access to firearm	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Prior domestic violence victimization	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Prior domestic violence perpetration	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Prior arrest for violent crime	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Prior arrest for domestic violence	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Separated from partner	<input type="checkbox"/>	<input type="checkbox"/>																																																														
Threatened to kill partner	<input type="checkbox"/>	<input type="checkbox"/>																																																														
	<input type="checkbox"/>	<input type="checkbox"/>																																																														
	<input type="checkbox"/>	<input type="checkbox"/>																																																														
	<input type="checkbox"/>	<input type="checkbox"/>																																																														
<input type="checkbox"/> Law Enforcement	<input type="checkbox"/> Prosecution																																																															
<input type="checkbox"/> Courts	<input type="checkbox"/> Corrections																																																															
<input type="checkbox"/> Probation & Parole	<input type="checkbox"/> Victim Services																																																															
<input type="checkbox"/> Medical Services	<input type="checkbox"/> Mental Health Services																																																															
<input type="checkbox"/> Substance Abuse Services	<input type="checkbox"/> Legislation/Policy																																																															
<input type="checkbox"/> Other, specify (e.g. social services, schools, community)																																																																
<p>Draft a list of possible system successes, gaps, and failures observed in this case:</p> <ol style="list-style-type: none"> 1. 2. 3. 4. 5. 6. 7. 8. 	<p>What evidence or example of this success, gap, or failure was observed in this case?</p>																																																															
	<p>What change or changes to the system you identified would you recommend to promote this observed success or address this gap or failure?</p>																																																															
	<p>Additional comments on recommendation #1:</p>																																																															

